

**CITY OF FORT SMITH SUPPLEMENTAL SPECIFICATION
FENCES AND GATES**

SECTION 907 of the Standard Specifications for Public Works Construction, October 2018 Edition, is hereby amended as follows:

907.02 MATERIALS

Item D. CONCRETE is hereby deleted and replaced with the following:

- D. CONCRETE. Concrete for fence post installation shall be Class "B" 2500 psi. Concrete for concrete mow strips shall be Class "AA" 3500 psi. All concrete shall conform to the requirements of Section 401 "Concrete General."

Item E. SALVAGED MATERIALS is hereby deleted.

907.04 CONSTRUCTION

Item E. REMOVAL AND RECONSTRUCTION OF FENCES is hereby deleted and replaced with the following:

- E. CONCRETE MOW STRIP. Where called for on the plans, a one foot wide by six inch deep concrete mow strip shall be constructed at the base of the fence. The top of the mow strip shall be placed at the same elevation as finished grade and shall have a slope of one inch per foot to allow for positive drainage. Fence posts shall be centered in the mow strip, and a two inch gap shall be left between the top of the mow strip and the bottom of the fencing fabric or pickets. Mow strips shall have transverse control joints every 10 feet and transverse expansion joints every 100 feet. Control and expansion joints shall align with the joints of any adjacent concrete retaining walls, channels, and/or ditches.

The following shall be added to item F. TEMPORARY FENCING:

Removed chain link fencing that has not been damaged may be used by the Contractor as temporary fencing.

907.05 MEASUREMENT AND PAYMENT

The third paragraph of this subsection shall be deleted and replaced with the following:

The contract unit prices mentioned above shall be full compensation for clearing,

grading, setting posts, concrete, erecting fence; for excavation and backfill; for concrete mow strips (when called for on the plans); for furnishing materials; and for all equipment, tools, labor, and incidentals necessary to complete the work.

The sixth paragraph of this subsection shall be deleted and replaced with the following:

Removal and disposal of existing fences and gates, including any clearing, excavation and backfill, labor, equipment, tools, and incidentals necessary to complete such work, shall be incidental to other items in the contract and no separate payment shall be made.

The eighth paragraph of this subsection shall be deleted and replaced with the following:

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
___' Chain Link Fence	LF
___' Chain Link Fence With Concrete Mow Strip	LF
___' PVC Coated Chain Link Fence	LF
___' PVC Coated Chain Link Fence With Concrete Mow Strip	LF
___' Wood Fence	LF
___' Wood Fence With Concrete Mow Strip	LF
___' Woven Wire Fence	LF
Barbed Wire Fence () Strand	LF
Barbless Wire Fence () Strand	LF
Gates - Chain Link ()	EA
Gates - Chain Link () With Concrete Mow Strip	EA
Gates - PVC Coated Chain Link ()	EA
Gates - PVC Coated Chain Link () With Concrete Mow Strip	EA
Gates - Wood ()	EA
Gates - Wood () With Concrete Mow Strip	EA

SS 2018-907-01
Page 3 of 3
2/11/2019

Gates - Galvanized Steel (or Aluminum)

EA